

## Office of the Kane County State's Attorney



### JAMIE L. MOSSER

State's Attorney

Kane County Judicial Center  
37W777 Route 38 Suite 300  
St. Charles, Illinois 60175

General Offices: (630) 232-3500  
Contact:  
Christopher Nelson (630) 232-3500

### **MURDER CHARGES FILED IN SUNDAY SHOOTING IN ST. CHARLES** **JUDGE SETS BAIL AT \$3MM; THREE OTHERS INJURED IN INCIDENT OUTSIDE NIGHTCLUB**

June 28, 2021

Kane County State's Attorney Jamie Mosser has charged 22-year-old **Michael D.V. Carwell** with the offenses of:

- First-degree murder, 2 counts
- Attempted murder, Class X felony, 3 counts
- Aggravated battery with a firearm, Class X felony, 3 counts

Kane County prosecutors and St. Charles police allege that at about 2 a.m. June 27, 2021, Carwell approached Khalief McCallister and the second victim, in the parking lot of an establishment in the 2000 block of Lincoln Highway (Illinois Route 38), St. Charles. The pair had just left the establishment. Carwell fired multiple shots from a 9mm handgun, killing McCallister and injuring three others.

After being identified as a suspect, Carwell was taken into custody later June 27.

Carwell appeared today in Kane County bond court. Kane County Judge Julia Yetter set Carwell's bail at \$3 million, with 10 percent (\$300,000) to apply for bond.

Judge Yetter set Carwell's next court appearance for 10 a.m. July 16, 2021, in Courtroom 313 at the Kane County Judicial Center, via remote access.

The St. Charles Police Department and the Kane County Major Crimes Task Force are conducting the investigation, which continues. Anyone with information should call St. Charles police at (630) 377-4435. Calls may be made anonymously to (866)-378-4267.

The charges against Carwell are not proof of guilt. Carwell is presumed innocent and is entitled to a fair trial in which it is the state's burden to prove his guilt beyond a reasonable doubt.

**Michael D.V. Carwell:** Age 22 (d.o.b. 11-20-1998), of the 1900 block of Bayview Lane, Aurora, Illinois. Case No. 21CF1169.